

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1

Information in the shaded areas
is not required by Federal law.

C | A | D | 0 | 8 | 6 | 5 | 1 | 0 | 0 | 0 | 5 | 8 | 5 | 6 | 1 | 4

of 1

3. Generator's Name and Mailing Address

Douglas Aircraft Co. Attn: R. Tuell M/S C6-59
19503 So. Normandie Ave., Torrance, CA 90502

4. Generator's Phone (310) 533-7926 or (310) 533-7231

5. Transporter 1 Company Name

Laidlaw Environmental Services of CA, Inc.

6. US EPA ID Number

C | A | D | 0 | 0 | 0 | 0 | 8 | 3 | 1 | 2 | 1

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

USPCI/Grassy Mountain Facility
3 Mi east, 7 Mi north of Knolls Exit # 41, off
of I-80, Clive, UT

10. US EPA ID Number

U | T | D | 9 | 9 | 1 | 3 | 0 | 1 | 7 | 4 | 8

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

"RQ, Hazardous Waste solid, n.o.s.; 9;
NA3077; PG III; (D008)

12. Containers

No.

Type

13. Total

Quantity

14. Unit

Wt/Vol

001

C | M

20650

P

1. Waste Number

State 181

EPA/Other D008

State

EPA/Other

State

EPA/Other

State

EPA/Other

1. Additional Descriptions for Materials Listed Above

11a) GM94-0129. Lead foundry decantan, debris.

K. Handling Codes for Wastes Listed Above

a.

b.

c.

d.

03

15. Special Handling Instructions and Additional Information

24 Hour emergency telephone number (800) 424-9300 (Chemtrec)

DOT ERG #'s 11a) 31

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Robert G. Tuell, Jr.

Signature

Robert G. Tuell, Jr.

Month

Day

Year

03 29 94

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

PETER SCHMITT

Signature

Peter Schmitt

Month

Day

Year

03 29 94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month

Day

Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Kenna Aagard

Signature

Kenna Aagard

Month

Day

Year

04 10 94

DO NOT WRITE BELOW THIS LINE

Yellow:

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS.
(Generators who submit hazardous waste for transport out-of-state,
produce completed copy of this copy and send to DTSC within 30 days.)

USPCI

A Subsidiary of
Union Pacific Corporation

LOAD TICKET

Farlow

LOAD # 2664 TRUCK # 16007 TRAILER # _____

GROSS 11:30 AM 04 06 94
TARE 60960 1b
NET 1:35 PM 04 06 94
60960 1b (H)
39140 1b

REMARKS _____
21820 1b

DRUM COUNT: _____

DRIVER: _____ COUNT: _____ DATE: ____/____/____

OPERATOR: _____ COUNT: _____ DATE: ____/____/____

RECEIVING CLERK

USPCI

A Subsidiary of
Union Pacific Corporation

WASHOUT RECEIPT

GENERATOR NAME

Douglas Aircraft

LOAD #

2664

TRUCK #

16007

MANIFEST #

85614

TRUCK TYPE

DT

G

T

FB

O

TYPE OF WASH

INT

EXT

WASHOUT SIGNATURE

DATE

4/16/74

DRIVER SIGNATURE

DATE

4/16/74

WHITE - Records

YELLOW - Billing

PINK - Driver

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1

Information in the shaded areas
is not required by Federal law.

C A D 0 8 6 5 1 0 0 0 5 8 5 6 1 4

of 1

3. Generator's Name and Mailing Address

Douglas Aircraft Co. Attn: R. Tuell M/S C6-59
19503 So. Normandie Ave., Torrance, CA 90502

4. Generator's Phone (310)533-7926 or (310)533-7231

5. Transporter 1 Company Name

Laidlaw Environmental Services of CA, Inc.

C A D 0 0 0 0 8 3 1 2 1

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

USPCI/Grassy Mountain Facility
3 Mi east, 7 Mi north of Knolls Exit # 41, off
of I-80, Clive, UT

10. US EPA ID Number

U T D 9 9 1 3 0 1 7 4 8

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

RO, Hazardous Waste solid, n.o.s.; 9;
NA3077; PG III; (D008)

12. Containers

No.

Type

13. Total

Quantity

14. Unit

Wt/Vol

001

C M

20650

P

15. Waste Number

State 181

EPA/Other D008

b.

c.

d.

16. Additional Descriptions for Materials Listed Above

15) CK94-0129. Lead foundry decontam. debris.

17. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

24 Hour emergency telephone number (800)424-9300 (Chemtrec)

DOT ERG# 's 11a)31

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Robert G. Tuell, Jr.

Signature

Robert G. Tuell, Jr.

Month

Day

Year

03 29 94

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

PETER SCHMITT

Signature

Peter Schmitt

Month

Day

Year

03 29 94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month

Day

Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month

Day

Year

DO NOT WRITE BELOW THIS LINE.

93385614

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802. WITHIN CALIFORNIA, CALL 1-800-852-4357



SERVICE ORDER 92-77261
JOB NO. 340120
DATE 3-29-94

TRANSPORTATION SERVICE ORDER

Transportation ID #: CAD000083121

☐ 4501 Pacheco Blvd.
Martinez, CA 94553
(510) 372-4800

☐ 3237 Patton Way
Bakersfield, CA 93308
(805) 835-5801 or
(805) 589-4970

☒ 221 E. "D" Street
Wilmington, CA 90744
(310) 518-4700

Customer Name: DOUGLAS A/C Telephone: _____
Billing Address: _____ Contact Person: _____
City: _____ State: _____ BOE #: _____
Job Location: TOPRANCE 1901 ST. Destination: USPC?
Type of Material: LEAD + DEP. Sales Person: _____
Generator: DEACONS A/C EPA Number: _____
Generator ID Number (State): _____ Facility EPA NO.: _____
Disposal: LES Facility _____ Outside Facility ☒ None _____ Customer P.O. 27064-H6036
Manifest # 93385614 # _____ # _____
Services Performed 1/1 LOADED 40Y BIN # 12305, HAULED LOAD TO LES #10
FOR LATER DISPOSAL

Start Miles: 163958 End Miles: _____ Total Miles: _____
Truck No.: 16007 Trailer No: 160025 Net Wgt: _____
Capacity: _____
Driver Time: Start (AM/PM) _____ Stop (AM/PM) _____ Gross Time _____
Meals: Start Time (AM/PM) _____ Stop (AM/PM) _____ Less Time 2
Other Time _____ Detail _____ Adj. Time _____
Driver's Name P. SCHMITT Driver No. _____ Total Time _____
Customer Site: Time In 1200 Disposal Site: Time In _____ Time In _____
Time Out 1500 Time Out _____ Time Out _____
Explanation of Time: HAD TO REELOTE BIN LOAD (WEAVER)

CUSTOMER AUTHORIZATION AND APPROVAL SIGNATURE: Robert B. Trull, Jr. 03-29-94

FOR ACCOUNTING ONLY

PROD CODE	DESCRIPTION	QTY	UOM	RATE	EXT	PROD CODE	DESCRIPTION	QTY	UOM	RATE	EXT
14000	TRANS		ST			24015	HAZ SOLIDS				
14000	TRANS		OT			24015	N/HAZ SOLIDS				
14000	TRANS		DT			24010	HAZ LIQUIDS				
	2ND DRIVER					24010	N/HAZ LIQUIDS				
	SUBHAULER					24020	DRUMS				
34045	LABOR					24025	SOLID SURCHG				
94065	BIN RENTAL					24025	STABILIZATION				
14000	TRANS (NO DISP)					24025	LIQ SURCHG				
14000	WASHOUT						TAXES				
14000	SCALE/CERTS						TAXES				
14000	SUBSISTENCE					34035	ANALYTICAL				
74055	TOLLS					74055	MISC CHARGES				
90465	TYVEK					74055	MISC CHARGES				
90465	BOOTS										
90465	GOGGLES										
90465	GLOVES										
90465	BIN LINERS										
70455	OTHERS										

WEIGHT TICKET

VENDOR: Paul Law

TRUCK #: Roll of Bin 12305

DATE: 03-29-94

CONTENTS: Lead from by decontam. debris.

DISPOSAL FACILITY: USPCI

DRIVER: _____

GROSS

49550

TARE

23280

28900 P

NET =

26270 P

DRUM COUNT

GALLONS 0

STATE MANIFEST DOCUMENT NUMBER: 93385614

Notification of Waste Subject to Land Disposal Restrictions

Manifest number associated with waste shipment

Generator Name

85614

93385614

Douglas Aircraft Co.

Pursuant to 40 CFR 268.7 (a), I hereby notify that this waste shipment contains a waste(s) that is (are) restricted under the land disposal restrictions contained in either 40 CFR 268 or RCRA Section 3004 (d). This shipment contains one or more of the following wastes which are subject to the listed treatment requirements.

Waste (check appropriate boxes)

Treatment Standard

1. ☐ F-Solvents ☐ F001 ☐ F002 ☐ F003 ☐ F004 ☐ F005

Complete Reverse Side

2. List all D,F,K,U, or P Waste Codes (eg. F006, D003)	Subcategory (if any)	Treatability Group (eg. wastewater or nonwastewater)	Treatment Standard in 40CFR		If Required Method insert proper 5-letter code	USPCI acceptance #	California List / if applicable complete reverse side
			268.41(a) CCWE	268.43(a) CCW			
A. D008	LEAD	NWW	X			GM 94-0129	<input type="checkbox"/>
B.							<input type="checkbox"/>
C.							<input type="checkbox"/>
D.							<input type="checkbox"/>
E.							<input type="checkbox"/>
F.							<input type="checkbox"/>
G.							<input type="checkbox"/>
H.							<input type="checkbox"/>
I.							<input type="checkbox"/>
J.							<input type="checkbox"/>

☐ Multi-source leachate F039

Treatment Standards must be attached
Constituents which are applicable are marked

NOTE: "Wastewater" means a waste containing less than 1% filterable solids and less than 1% T.O.C.

4. Hazardous Debris Notification

☐ This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45.

Contaminants Subject to Treatment (please list waste codes applicable to the debris)

FACILITY: Note that "Contaminants Subject to Treatment" are those constituents applicable to a waste code listed above for which a BDA treatment standard has been promulgated in 40 CFR 268.41 or 268.43.

5. Deadline Extensions and Variances

Certain LDR restricted wastes can be placed in a land disposal unit after the effective date of a prohibition provided they are subject to extensions or variance. Restricted wastes which qualify for a deadline extension are as follows:

Check applicable line	List waste codes for which extension applies
A. <input type="checkbox"/> Hazardous Debris (May 8, 1993)	
B. <input type="checkbox"/> Hazardous Soil (May 8, 1993)	
C. <input type="checkbox"/> F037, F038 removed from surface impoundments (June 30, 1994)	
D. <input type="checkbox"/> F037, F038 routinely generated (June 30, 1993)	
E. <input type="checkbox"/> Debris contaminated with newly listed waste (June 30, 1994)	
F. <input type="checkbox"/> other _____	

Robert G. Tuell, Jr.
Signature

Robert G. Tuell, Jr.
Printed Name

03-29-94
Date

268.43 Table CCW—Constituent Concentrations In Waste
MARK STANDARD THAT APPLIES

F001-F005 spent solvents	Concentration (in mg/l)	
	Wastewaters containing spent solvents	All other spent solvent wastes
<input type="checkbox"/> Acetone.....	0.28	160.0
<input type="checkbox"/> Benzene.....	0.070	3.7
<input type="checkbox"/> n-Butyl alcohol.....	5.6	2.6
<input type="checkbox"/> Carbon tetrachloride.....	0.057	5.6
<input type="checkbox"/> Chlorobenzene.....	0.057	5.7
<input type="checkbox"/> Cresol (m- and p- isomers).....	0.77	3.2
<input type="checkbox"/> o-cresol.....	0.11	5.6
<input type="checkbox"/> o-Dichlorobenzene.....	0.088	6.2
<input type="checkbox"/> Ethyl acetate.....	0.34	33.0
<input type="checkbox"/> Ethylbenzene.....	0.057	6.0
<input type="checkbox"/> Ethyl ether.....	0.12	160.0
<input type="checkbox"/> Isobutanol.....	5.6	170.0
<input type="checkbox"/> Methylene chloride.....	0.089	33.0
<input type="checkbox"/> Methyl ethyl ketone.....	0.28	36.0
<input type="checkbox"/> Methyl isobutyl ketone.....	0.14	33.0
<input type="checkbox"/> Nitrobenzene.....	0.068	14.0
<input type="checkbox"/> Pyridine.....	0.014	16.0
<input type="checkbox"/> Tetrachloroethylene.....	0.056	5.6
<input type="checkbox"/> Toluene.....	0.08	28.0
<input type="checkbox"/> 1,1,2-Trichloroethane.....	0.030	7.6
<input type="checkbox"/> 1,1,1-Trichloroethane.....	0.054	5.6
<input type="checkbox"/> 1,1,2-Trichloro-1,2,2-Trifluoroethane.....	0.057	28.0
<input type="checkbox"/> Trichloroethylene.....	0.054	15.6
<input type="checkbox"/> Trichloromonofluoromethane.....	0.02	33.0
<input type="checkbox"/> Xylenes (total).....	0.32	28.0

F001, F002, F003, F004 and F005 wastewaters (Pharmaceutical Industry)	Concentration (in mg/l)
<input type="checkbox"/> Methylene chloride.....	0.44

268.42 Technology Based Standards

F005	Concentration in mg/l(ww) mg/kg(nww)
<input type="checkbox"/> 2-Nitropropane (F005).....	Required Method(s)
<input type="checkbox"/> 2-Ethoxyethanol (F005).....	Required Method(s)

268.41 Table CCWE—Constituent Concentrations In Waste Extract
MARK STANDARD THAT APPLIES

F001-F005 spent solvents	Concentration (in mg/l)	
	Wastewaters	All other
<input type="checkbox"/> Carbon Disulfide.....	1.05	4.81
<input type="checkbox"/> Cyclohexanone.....	0.125	0.75
<input type="checkbox"/> Methanol.....	0.25	0.75

California List Waste (applies to all states)

Liquid hazardous waste including free liquids associated with any solid or sludge containing the following constituents or characteristic:

	Concentration	Treatment Standard
pH ≤ 2.0.....	≥ 1,000.....	Neutralize/Stabilize
Cyanides.....	≥ 500.....	Cyanides Destruction/Stabilize
Arsenic.....	≥ 100.....	Metals Recovery/Solidification
Cadmium.....	≥ 500.....	Metals Recovery/Solidification
Chromium (VI).....	≥ 500.....	Metals Recovery/Solidification
Lead.....	≥ 20.....	Metals Recovery/Solidification
Mercury.....	≥ 134.....	Metals Recovery/Solidification
Nickel.....	≥ 100.....	Metals Recovery/Solidification
Selenium.....	≥ 130.....	Metals Recovery/Solidification
Thallium.....	≥ 50.....	Incineration/High Efficiency Boiler
PCBs.....	≥ 1,000.....	Incineration/Carbon Adsorption/Solvent Extraction
Solid, sludge, or liquid Halogenated Organic Compounds (HOCs) listed in 40 CFR 268 Appendix III.....	≥ 1,000.....	Incineration/Carbon Adsorption/Solvent Extraction

D.O.T. EMERGENCY RESPONSE GUIDE 31



(FOLD ON DOTTED LINE—STAPLE TO HAZARDOUS MATERIALS SHIPPING PAPER)

Use basic description and technical name as described in 49 CFR 172.202 and 172.203 (K).

Basic Description: RD. Hazardous Waste solid

n.o.s., '9', NA 3077, PG III (D008)

Technical Name(s): Lead foundry debris ^{decontamination} ~~decontamination~~

24 hr. Emergency Contact Tel. No.: (800) 424-9300 (Chemtrec)

EMERGENCY
RESPONSE
GUIDE
FORM

D.O.T. EMERGENCY RESPONSE GUIDE 31

POTENTIAL HAZARDS

FIRE OR EXPLOSION

Some of these materials may burn, but none of them ignites readily.

HEALTH HAZARDS

Contact may cause burns to skin and eyes.

Fire may produce irritating or poisonous gases.

Runoff from fire control or dilution water may cause pollution.

EMERGENCY ACTION

Keep unnecessary people away; isolate hazard area and deny entry.
Positive pressure self-contained breathing apparatus (SCBA) and structural firefighters' protective clothing will provide limited protection.
CALL CHEMTREC AT 1-800-424-9300 FOR EMERGENCY ASSISTANCE.
If water pollution occurs, notify the appropriate authorities.

FIRE

Small Fires: Dry chemical, CO₂, water spray or regular foam.

Large Fires: Water spray, fog or regular foam.

Move container from fire area if you can do it without risk.

Do not scatter spilled material with high-pressure water streams.

Dike fire-control water for later disposal.

SPILL OR LEAK

Stop leak if you can do it without risk.

Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Small Spills: Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

Large Spills: Dike far ahead of liquid spill for later disposal.

Cover powder spill with plastic sheet or tarp to minimize spreading.

FIRST AID

In case of contact with material, immediately flush eyes with running water for at least 15 minutes. Wash skin with soap and water.

Remove and isolate contaminated clothing and shoes at the site.

Information on this Guide Page is from the 1990 Emergency Response Guidebook Dot P 5800.5. It applies only to the basic Description and Technical Name entered by the shipper at the top of this form.

Check to see whether the shipper commodity (Basic description entered at the top of this form) is listed by I.D.# and NAME OF THE MATERIAL in the Table of Initial Isolation and Protective Action Distances. This Table is partially reproduced on the back of this Guide Page to reflect only commodities assigned to this Guide Number. Use this information from the table in addition to the Guide Page IF THERE IS NO FIRE.

READ AND CHECK THE NAMES AND NUMBERS CAREFULLY BECAUSE COMPLETELY DIFFERENT HAZARDOUS MATERIALS CAN HAVE NAMES AND/OR NUMBERS WHICH ARE ALMOST THE SAME!

ERF 31 Printed by LABELMASTER, Div. of AMERICAN LABELMARK CO., CHICAGO, IL 60648 (800) 621-5808

INITIAL ISOLATION PROTECTION TABLES FOR SELECTED HAZARDOUS MATERIALS

The table gives suggested distances for ISOLATING unprotected people from spill areas involving the hazardous materials shown, **IF THE LISTED MATERIAL IS NOT ON FIRE**. If the material is on fire, refer to the 2-digit Guide.

These materials were selected because their vapors have the potential to produce poisonous effects. The table is useful for no more than the first 30 minutes of an incident involving these materials. There are several good reasons for suggesting that the use of the table be limited specifically to the initial phase of a **no-fire** spill incident during transport.

D.O.T. EMERGENCY RESPONSE GUIDE 31

USE THIS TABLE WHEN THE MATERIAL IS **NOT** ON FIRE.

SMALL SPILLS
(Leak or spill from a small package or small leak from a large package.)

LARGE SPILLS
(Leak or spill from a large package or spill from many small packages.)

ID No.	NAME OF MATERIAL	First ISOLATE in all directions-- (Feet)	Then, PROTECT those persons in the DOWNWIND direction-- (Miles)	First ISOLATE in all directions-- (Feet)	Then, PROTECT those persons in the DOWNWIND direction-- (Miles)

No chemicals appear in Table of Isolation and Protective Action Distances which are assigned to this Guide number.

If the chemical name and ID Number the shipper entered on the front of this form match a name from this list, **and NO FIRE exists**, you must:

determine if the incident involves a small or large spill; look up the isolation distance; (Direct all person to move in a crosswind direction, away from the spill, to that distance.) look up the initial PROTECTIVE ACTION DISTANCE in the table. (For practical purposes, the Protective Action Zone is a square whose length and width are the same as the downwind distance shown in the table.)

WHEN APPROACHING THE SCENE OF AN ACCIDENT INVOLVING ANY CARGO
(NOT ONLY REGULATED HAZARDOUS MATERIALS):

- APPROACH INCIDENT FROM AN UPWIND DIRECTION, IF POSSIBLE
- MOVE AND KEEP PEOPLE AWAY FROM INCIDENT SCENE
- DO NOT WALK INTO OR TOUCH ANY SPILLED MATERIAL
- AVOID INHALING FUMES, SMOKE AND VAPORS EVEN IF NO HAZARDOUS MATERIALS ARE INVOLVED
- DO NOT ASSUME THAT GASES OR VAPORS ARE HARMLESS BECAUSE OF LACK OF SMELL—ODORLESS GASES OR VAPORS MAY BE HARMFUL

As a first responder at the scene of a hazardous materials incident, seek additional and more specific information about any material in question as soon as possible. This Guide Page is not intended for use during the cleanup phase for spilled materials, nor should it be used to determine compliance with any regulations. This information on this Emergency Response Form should be augmented by expert technical advice as soon as you have assessed the situation and have seen to the immediate needs of the people involved.

FOR FURTHER INFORMATION REFER TO DOT P 5800.5 (EMERGENCY RESPONSE GUIDEBOOK) AND TITLE 49 CODE OF FEDERAL REGULATIONS.

Genetics Home

85614 92385614

Douglas Aircraft Co

Pursuant to 40 CFR 258.7 (a), I hereby notify that this waste shipment contains a waste(s) that is (are) restricted under the land disposal restrictions contained in either 40 CFR 268 or RCRA Section 3004 (d). This shipment contains one or more of the following wastes which are subject to the listed treatment requirements.

Waste (check appropriate boxes)

Treatment Standard
Complete Reverse Side

1. ☐ F-Solvente ☐ F001 ☐ F002 ☒ F003 ☐ F004 ☐ F005

2.	List all D,F,K,U, or P Waste Codes (eg. F006, D003)	Subcategory (if any)	Treatability Group (eg. wastewater or nonwastewater)	Treatment Standard in 40CFR		If Required Method insert proper 5-letter code	USPC acceptance #	California Use / if applicable complete reverse side
				268.41(a) CCWE	268.43(a) CCW			
A.	D009, R015	04-06-94 LEAD	industrial	-X-			GM 97-0129	<input type="checkbox"/>
B.								<input type="checkbox"/>
C.								<input type="checkbox"/>
D.								<input type="checkbox"/>
E.								<input type="checkbox"/>
F.								<input type="checkbox"/>
G.								<input type="checkbox"/>
H.								<input type="checkbox"/>
I.								<input type="checkbox"/>
J.								<input type="checkbox"/>

☐ Multi-source logchat F338

Treatment Standards must be attached
Constituents which are applicable are marked

NOTE: "Wastewater" means a waste containing less than 1% filterable solids and less than 1% T.O.C.

4. Hazardous Debris Notification

☒ This hazardous debris is subject to the alternative treatment standards of 40 CFR 269.45.

Contaminants Subject to Treatment (please list waste codes applicable to the debris)

[illegible]

FACILITY: Note that "Contaminants Subject to Treatment" are those constituents applicable to a waste code listed above for which a BOD treatment standard has been promulgated in 40 CFR 268.41 or 268.43.

Deadline Extensions and Variances

Certain LDR restricted wastes can be placed in a land disposal unit after the effective date of a prohibition provided they are subject to extensions or variance. Restricted wastes which qualify for a deadline extension are as follows:

	Check applicable line	List waste codes for which extension applies
A.	<input type="checkbox"/> Hazardous Debris (May 8, 1993)	
B.	<input type="checkbox"/> Hazardous Soil (May 8, 1993)	
C.	<input type="checkbox"/> F037, F038 removed from surface impoundments (June 30, 1994)	
D.	<input type="checkbox"/> F037, F038 routinely generated (June 30, 1993)	
E.	<input type="checkbox"/> Debris contaminated with newly listed waste (June 30, 1994)	
F.	<input type="checkbox"/> other	

Robert L. Twell, Jr.
Signature

Robert G. Twell, Jr.
Printed Name

03-29-94
Date

DOUGLAS AIRCRAFT COMPANY

3855 Lakewood Boulevard Long Beach, California 90846
TWX: 9103416842 MCDL DGLS LGB2
Telex: 674357 DOUG AIR LGB C

FACSIMILE LEAD SHEET

LEAD + 1 SHEETS

TO:

CO. NAME USPCI

CITY, STATE _____

ATTN Don Dew

DEPT _____ MAIL CODE _____

PHONE NO. (801) 595-3978

TYPE OF FAX MACHINE _____

FAX PHONE NO. 801-595-3994

SPECIAL DELIVERY INSTRUCTIONS _____

FROM:

NAME: Robert Tuell

DEPT C1-Q6C MAIL CODE C6-59

PHONE NO. (310) 533-7926

FAX PHONE NO. (310) 593-4285

PLEASE ADVISE IMMEDIATELY IF YOU HAVE ANY PROBLEMS RECEIVING THIS FACSIMILE TRANSMISSION.

PLEASE CALL OPERATOR AT PHONE NUMBER (213) _____



JSPCI

Sunday
Pacific Corporation

United States Pollution Control Inc.
Technical Department
Grassy Mountain Facility
Fax: (801)595-3994

ELECOPY TRANSMITTAL SHEET

To: ROBERT G. TUELL, JR.
Fax: (310) 593-4786
Company: DUNN & BURGESS CO.
Date: 01/06/94 Time: _____

From: Don Dew
Telephone: (801)595-3978

Number of Sheets (including this one): 2

Comments:

PLS INITIAL CHANGE AND FAX TO
ME AT (801) 595-3994

MANY THANKS

D. C. DEW

NOTICE:

THE INFORMATION CONTAINED IN THIS FAX MESSAGE IS INTENDED ONLY FOR THE PERSONNEL AND
CONFIDENTIAL USE OF THE DESIGNATED RECIPIENTS NAMED ABOVE.

Message may be an attorney-client communication, and as such is privileged and confidential. If the reader of this
message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby
notified that you have received this document in error, and that any review, dissemination, distribution, or copying
thereof is strictly prohibited. If you have received this communication in error, please notify the sender
immediately by telephone and return the original message to the sender by U.S. Mail at our expense. Thank you.

GENERAL NOTE:

Douglas Aircraft Co

Waste (check appropriate boxes)

Transcript Overview

Complete Reverse Side

1. ☐ F-Solvents ☐ F001 ☐ F002 ☒ F003 ☐ F004 ☐ F005

☐ Multi-source Search: 1/20

Treatment Standards must be attached
Constituents which are applicable are marked

4. Hazardous Debris Notification

☒ This hazardous debris is subject to the alternative treatment standards of 40 CFR 266.15

Contaminants Subject to Treatment (please list waste codes applicable to the debris)

FACILITY: Note that "Contaminants Subject to Treatment" are those constituents applicable to a waste code listed above for which a treatment standard has been promulgated in 40 CFR 261.41 or 261.43.

5. Deadline Extensions and Variances

Certain LDR restricted wastes can be placed in a land disposal unit after the effective date of a prohibition provided they are subject to extensions or variances. Restricted wastes which qualify for a deadline extension are as follows:

Check application lines

1984 OF 1985 Extension applies

- A. ☐ Hazardous Debris (May 8, 1993)
- B. ☐ Hazardous Soil (May 8, 1993)
- C. ☐ F037, F038 removed from surface impoundments (June 30, 1994)
- D. ☐ F037, F038 routinely generated (June 30, 1993)
- E. ☐ Debris contaminated with newly listed waste (June 30, 1994)
- F. ☐ other

Robert L. Tull, Jr.

Robert G. Twell, Jr. 03-29-94

GENERATOR MUST RETAIN COPY FOR RECORDS

DOUGLAS AIRCRAFT COMPANY

3855 Lakewood Boulevard Long Beach, California 90846

TWX: 9103416842 MCDL DGLS LGB2

Telex: 674357 DOUG AIR LGB C

FACSIMILE LEAD SHEET

LEAD + 1 SHEETS

TO:

CO. NAME USPCI

CITY, STATE _____

ATTN Don Dew

DEPT _____ MAIL CODE _____

PHONE NO. (801) 595-3978

TYPE OF FAX MACHINE _____

FAX PHONE NO. 801-595-3994

SPECIAL DELIVERY INSTRUCTIONS _____

FROM:

NAME: Robert Tuell

DEPT C1-Q6C MAIL CODE C6-59

PHONE NO. (310) 533-7926

FAX PHONE NO. (310) 593-4285

PLEASE ADVISE IMMEDIATELY IF YOU HAVE ANY PROBLEMS RECEIVING THIS FACSIMILE TRANSMISSION.

PLEASE CALL OPERATOR AT PHONE NUMBER (213) _____

Arctic Pacific Corporation

Heat transfer associated with waste shipment

Genetics Home

85614 93385614

Douglas Aircraft Co

Wants (check appropriate boxes)

Treatment Standard

Complete Reverse Side

1. ☐ F-Solvente ☐ F001 ☐ F002 ☒ F003 ☐ F004 ☐ F005

2.	List all D, F, K, U, or P Waste Codes (eg. F006, D003)	Subcategory (if any)	Treatability Group (eg. wastewater or nonwastewater)	Treatment Standard in 40CFR		If Required Method insert proper 5-letter code	USPC# acceptance #	California List ✓ if applicable complete reverse side
				268.41(a) CCWE	268.43(a) CCW			
A.	D008, R025	04-06-94 LEAD	toxic	-X			GM 97-0129	<input type="checkbox"/>
B.								<input type="checkbox"/>
C.								<input type="checkbox"/>
D.								<input type="checkbox"/>
E.								<input type="checkbox"/>
F.								<input type="checkbox"/>
G.								<input type="checkbox"/>
H.								<input type="checkbox"/>
I.								<input type="checkbox"/>
J.								<input type="checkbox"/>

☐ Multi-source Isolate F038

Treatment Standards must be attached

Constituents which are applicable are marked

NOTE: "Wastewater" means a waste containing less than 1% filterable solids and less than 1% T.O.C.

4. Hazardous Debris Notification

☒ This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45.

Contaminants Subject to Treatment (please list waste codes applicable to the debris)

[illegible]

FACILITY: Note that "Contaminants Subject to Treatment" are those constituents applicable to a waste code listed above for which a RDA treatment standard has been promulgated in 40 CFR 266.41 or 268.43.

5. Deadline Extensions and Variances

Certain LDR restricted wastes can be placed in a land disposal unit after the effective date of a prohibition provided they are subject to extensions or variance. Restricted wastes which qualify for a deadline extension are as follows:

	Check applicable line	List waste codes for which extension applies
A.	<input type="checkbox"/> Hazardous Debris (May 8, 1993)	
B.	<input type="checkbox"/> Hazardous Soil (May 8, 1993)	
C.	<input type="checkbox"/> F037, F038 removed from surface impoundments (June 30, 1994)	
D.	<input type="checkbox"/> F037, F038 routinely generated (June 30, 1993)	
E.	<input type="checkbox"/> Debris contaminated with newly listed waste (June 30, 1994)	
F.	<input type="checkbox"/> other _____	

Robert L. Swell, Jr.
Signature

Robert G. Twell, Jr.
Printed Name

03-29-94

REYNOLDS

GENERATOR MUST RETAIN COPY FOR RECORDS

*** TOTAL PAGE.002 ***

BOE-C6-0206345

Subject to Land Disposal Restriction

General Home

Supplier Name: Douglas Aircraft Co

Waste (check appropriate boxes)

Treatment Standard

Complete Reverse Side

1. ☐ F-Solvents ☐ F001 ☐ F002 ☒ F003 ☐ F004 ☐ F005

2.	List all D, F, K, U, or P Waste Codes (eg. F005, D003)	Subcategory (if any)	Treatability Group (eg. wastewater or nonwastewater)	Treatment Standard in 40CFR		If Required Method insert proper 5-letter code	USPCI acceptance #	California List ✓ if applicable complete reverse side
				268.41(a) CCWE	268.43(a) CCW			
A.	D005, R015	04-06-94 LEAD	toxic	X			GTN 99-0129	<input type="checkbox"/>
B.								<input type="checkbox"/>
C.								<input type="checkbox"/>
D.								<input type="checkbox"/>
E.								<input type="checkbox"/>
F.								<input type="checkbox"/>
G.								<input type="checkbox"/>
H.								<input type="checkbox"/>
I.								<input type="checkbox"/>
J.								<input type="checkbox"/>

☐ Multi-source Inequality F038

Treatment Standards must be attached
Constituents which are applicable are marked

NOTE: "Wastewater" means a waste containing less than 1% filterable solids and less than 1% T.O.C.

4. Hazardous Debris Notification

13. This hazardous debris is subject to the alternative treatment standards of 40 CFR 268.45.

Contaminants Subject to Treatment (please list waste codes applicable to the debris)

[illegible]

FACILITY: Note that "Contaminants Subject to Treatment" are those constituents applicable to a waste code listed above for which a BDA treatment standard has been promulgated in 40 CFR 268.41 or 268.43.

5. Deadline Extensions and Variances

Contain LDR restricted wastes can be placed in a land disposal unit after the effective date of a prohibition provided they are subject to extensions or variances. Restricted wastes which qualify for a deadline extension are as follows:

Check applicable line	List waste codes for which extension applies
<input type="checkbox"/> Hazardous Debris (May 8, 1993)	
<input type="checkbox"/> Hazardous Soil (May 8, 1993)	
<input type="checkbox"/> F037, F038 removed from surface impoundments (June 30, 1994)	
<input type="checkbox"/> F037, F038 routinely generated (June 30, 1993)	
<input type="checkbox"/> Debris contaminated with newly listed waste (June 30, 1994)	
<input type="checkbox"/> other	

03-29-94